EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	((david near2 hilbert) or (jonathan near2 trevor)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 16:57
S2	1	S1 (file near3 shar$4 with proxy).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/06 17:01
S3	2	"6144997".pn. or "200330088570".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:28
S4	100	((david near2 hilbert) or (jonathan near2 trevor)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:30
S8	953	726/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:43
S9	615	726/5.ccls. (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:43
S10	29	726/5.ccls. (@ad<"20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:44

S11	351	"726"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:44
S12	46	"726"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(remote near user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:45
S13	79	"726"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:45
S14	63	"726"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)(authenticat $6 or credential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:46
S15	27	"726"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)(authenticat $6 or credential)((view$4 or modif$6) with (file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:46
S16	25	"713"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)(authenticat $6 or credential)((view$4 or modif$6) with (file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:46
S17	106	"709"/$.ccls. (@ad< "20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)(authenticat $6 or credential)((view$4 or modif$6) with (file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:47

S18	88	"709"/$.ccls. (@ad<"20040421") ((shar$4 or collaborat$4) with (file or document or project or data) with user)(proxy)(authenticat$6 or credential((view$4 or modif$6) with (file or document))(GUI or (user adj interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:47
S19	236	((shar$4 or collaborat$4) with (file or document or project or data) with user) (proxy)(authenticat$6 or credential)((view$4 or modif $6) with (file or document)) (GUI or (user adj interface)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:48
S20	99	((shar$4 or collaborat$4) with (file or document or project or data) with user) (proxy)(authenticat$6 or credential)((view$4 or modif $6) with (file or document)) (GUI or (user adj interface)) (email print$4 fax) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:48
S21	3	((shar$4 or collaborat$4) with (file or document or project or data) with user) ((creat$4 or generat$4 or produc$4) near5 proxy with (file or document)) (authenticat$6 or credential) ((view$4 or modif$6) with (file or document))(GUI or (user adj interface)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:51
S22	27	((shar$4 or collaborat$4) with (file or document or project or data) with user) ((creat$4 or generat$4 or produc$4) near5 proxy with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:52
S23	36	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client))((creat$4 or generat$4 or produc$4) near5 proxy with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:58

S24	9	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 08:58
S25	52	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client))((creat$4 or generat$4 or produc$4) with proxy with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 09:30
S26	558	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client))((creat$4 or generat$4 or produc$4) with (proxy substitute or clone or copied or copy or another) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 09:47
S28	78	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client))((creat$4 or generat$4 or produc$4) with (proxy substitute or clone or copied or copy or another or cache or represent$6) with (file or document))(request$4 with (shar$4 or access$4) with file) ((authenticat$4 or credential or log$2in or user$2name or password) with (access or open$4 or view$4) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 09:50
S31	2	"20040205653".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 12:40

S35	426	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)) ((creat$4 or generat$4 or produc$4) with (proxy or substitute or clone or copied or copy or another or cache or represent$6) with (file or document))(credential or authenticat$4) (@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 12:57
S36	195	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)) ((creat$4 or generat$4 or produc$4) with (proxy or substitute or clone or copied or copy or another or cache or represent$6) with (file or document))(credential or authenticat$4)(file near3 shar $4)(@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 12:58
S37	29	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)) ((creat$4 or generat$4 or produc$4) with (proxy or substitute or clone or copied or copy or another or cache or represent$6) with (file or document))(credential or authenticat$4)((file near3 shar$4) with request) (@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 12:58
S38	53	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)) ((creat$4 or generat$4 or produc$4 or clon$4 or copy $4) with (proxy or substitute or clone or copied or copy or another or cache or represent $6) with (file or document)) (credential or authenticat$4) ((file near3 shar$4) with request)(@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:07

S39	29	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)) ((creat$4 or generat$4 or produc$4) with (proxy or substitute or clone or copied or copy or another or cache or represent$6) with (file or document)) (credential or authenticat$4) ((file near3 shar$4) with request) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:08
S40	24	S38 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:08
S43	323	(shar$4 with file with user). ab. (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:16
S44	8	((shar$4 or collaborat$4) with (file or document or project or data) with (user or client or contributor or memeber or participant)).ab. (shar$4 with file with user). ab. ((generat$4 or creat$4) near5 (cache or proxy or replica or copy$4) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:17
S45	8	(shar$4 with file with user). ab. ((generat$4 or creat$4) near5 (cache or proxy or replica or copy$4) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:31
S46	12	(shar$4 with file with user). ab. ((authenticat$4 or credential or login or password) with access with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:33

S47	10	S46 not S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:33
S48	1	S47 proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:33
S51	5	S47 (copy or copied)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/03/07 16:35
S52	113	((david near2 hilbert) or (jonathan near2 trevor)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:27
S53	2	S52 (file near3 shar$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:27
S56	218	(@ad<"20040421") ((shar$4 or collaborat$4) with (file or document) with (user or member or client)) (access$4 near5 (file or document) with (authenticat$4 or credential or (pass$1word$2 or user $1name$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:44
S57	1	(@ad<"20040421") ((shar$4 or collaborat$4) with (file or document) with (user or member or client)) (access$4 near5 (file or document) with (authenticat$4 or credential or (pass$1word$2 or user $1name$2)))(proxy near representat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:45

S58	18	(@ad<"20040421") ((shar$4 or collaborat$4) with (file or document) with (user or member or client)) (access$4 near5 file or document) with (authenticat$4 or credential or (pass$1word$2 or user $1name$2)))(proxy with (file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:47
S59	4	(@ad<"20040421") ((shar$4 or collaborat$4) with (file or document) with (user or member or client)) ((access $4 or read$4 or writ$4 or download$4) near5 (file or document) with (authenticat $4 or credential or (pass $1word$2 or user$1name $2)))(proxy with (file or document)) (e$2mail$4 with attach$4 with (document or file))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/06/23 14:54
S60	39	((shar$4 or collaborat$4) with (file or document or project or data) with (user or member or contributor or author)) (authenticat$6 or credential)((view$4 or modif $6) with (file or document)) (proxy with file)(GUI or (user adj interface)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/12 12:07
S61	3	("6144997" | "200330088570").pn. or ("10777289" | "10777571" | "10790402")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/12 15:36
S62	28	((shar$4 or collaborat$4) with (file or document or project or data) with (user or member or contributor or author)) (authenticat$6 or credential)((view$4 or modif $6) with (file or document)) (proxy near5 file)(GUI or (user adj interface)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/12 16:12

S63	102	((shar$4 or collaborat$4) with (file or document or project or data) with (user or member or contributor or author)) (authenticat$6 or credential((view$4 or modif $6) with (file or document)) (proxy near5 (file or document or project or data)) (GUI or (user adj interface)) (@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/12 16:12
S64	88	("20040002990" "20040054756" "20040044748" "20040044581" "20040049520" "20040054674" "20040054893" "20040117656" "20050066219" "20040068505" "20040203624" "20060149889" "20040158607" "20040186894" "20040199508" "20040250116" "20040030921" "20040236752" "20040236745" "20040255289" "20040064733" "20050015386" "20040153538" "20050076082" "20050038995" "20040133444" "20060080409" "20050080846" "20050102348" "20050060537" "20040255160" "20050114672" "20040073787" "20040111604" "20040158737" "20050132325" "20040216128" "20040133629" "20050177580" "20040162876" "20040236803" "20050192966" "20050192905" "20040210644").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:29

S65	33	S64 (file near5 shar$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/14 08:30
S67	1	"20050240773".pn.	DERWENT	AND	ON	2008/07/14 08:33
S68	35	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) (proxy near5 (database or file or represent$7)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 09:14
S69	42	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) (prox$7 with (database or file or represent$7 or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 09:15
S70	87	S64 not S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/14 09:42
S71	87	S70 not S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/14 09:42
S72	6	S71 proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/14 09:43

S73	55	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document) ((proxy or cache) near5 (database or file or represent$7)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 10:07
S74	75	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author or host or client)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print $4 or download$4) with (file or document)) ((proxy or cache) near5 (database or file or represent$7 or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 14:25
S75	55	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) ((proxy or cache) near5 (database or file or represent$7)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 14:26
S76	20	S74 not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 14:26

S77	85	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) ((proxy or cache or substitute or copied) near5 (database or file or represent$7)) (@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 15:16
S78	29	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) ((proxy or cache or substitute or copied) near5 (database or file or represent$7) same (path or location or directory or folder)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/14 15:17
S79	30	S77 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/14 15:18
S80	15	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author or recipient or (third near party)) same (e$1mail$4 or fax$4 or print$4 or attach$4 or view$4 or download$4)) ((authenticat$6 or credential) with (access$4 or view$4 or read$4 or writ$4 or modify$4 or chang$4 or print$4) with (file or document)) ((proxy or cache or substitute or copied) near5 (database or file or represent$7) same (path or location or directory or folder)) (@ad< "20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 08:39

S82	105	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author or recipient or (third near party)) same (e$1mail$4 or fax$4 or print$4 or attach$4 or view$4 or download$4)) ((proxy or cache) near6 (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 08:43
S84	14	((shar$4 or collaborat$4) with (file or document) with (user or member or contributor or author or recipient or (third near party)) same (e$1mail$4 or fax$4 or print$4 or attach$4 or view$4 or download$4)) ((proxy or cache) near6 (file or document)) ((access$4 or view$4 or read$4 or writ$4 or download$4) near6 (file or document)) with (authenticat $4 or credential or password)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 08:46
S87	282	((shar$4 or collaborat$4) near5(file or document)) (proxy near5 (file or document or database)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 10:44
S88	61	((shar$4 or collaborat$4) near5(file or document)) (proxy near5 (file or document or database)) ((authenticat$4 or credential or validat$4) with (access$4 or view$4 or read$4 or download$4 or chang$4 or modify$4) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 10:45
S89	134	((shar$4 or collaborat$4) near5(file or document)) (cache near5 (file or document or database)) ((authenticat$4 or credential or validat$4) with (access$4 or view$4 or read$4 or download$4 or chang$4 or modify$4) with (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:14

S90	49	((shar$4 or collaborat$4) near5(file or document)) (cache near5 (file or document or database)) ((authenticat$4 or credential or validat$4) with (access$4 or view$4 or read$4 or download$4 or chang$4 or modify$4) with (file or document)) (proxy near5 (file or document or database)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:15
S92	497	((shar$4 or collaborat$4) near5 (file or document) with (user or member or subcriber or host or client)) ((cache or proxy) near5 (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:17
S93	44	((shar$4 or collaborat$4) near5 (file or document) with (user or member or subcriber or host or client)) ((creat$4 or generat$4) near6 (cache or proxy) near5 (file or document)) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:18
S94	13	((file or document) near5 shar $4).ti. ((proxy or cache) near5 (file or document or database)).clm. (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:22
S95	56	((file or document) near5 shar $4).clm. ((proxy or cache) near5 (file or document or database)).clm. (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:23
S96	23	((file or document) near5 shar $4).clm. ((proxy or cache) near5 (file or document or database)).clm. (print$4 or e $2mail$4) (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/15 11:26
S97	178	((shar$4 collaborat$4) with (file document)).clm. AND (credential authenticat$4) AND ((proxy duplicat$4 cache cop$4) near5 (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 08:12

S99	47	((shar$4 collaborat$4) with (file document)).clm. AND ((credential authenticat$4) with (read$4 writ$4 access$4 download$4 modif$6 chang $4) with (file document)) AND ((proxy duplicat$4 cache cop$4) near5 (file document)) AND ((shar$4 collaborat$4) with (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 08:17
S100	56	((shar$4 collaborat$4) with (file document)).clm. AND ((credential authenticat$4) with (read$4 writ$4 access$4 download$4 modif$6 chang $4) with (file document)) AND ((proxy duplicat$4 cache cop$4 temp$8) near5 (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 08:24
S105	12	((shar$4 collaborat$4) with (file document)) AND (((print $4 AND fax$4) near5 request $4) with (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:10
S107	53	(shar$4 near5 (file document)) AND ((creat$4 generat$4) near5 new near2 (entry record)) AND (e$2mail $4 with (key registration)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 15:49
S108	4	(shar$4 near5 (file document)) AND ((creat$4 generat$4) near5 new near2 (entry record) same (fail$4 negative un$2success$6 first)) AND (e$2mail$4 with (key registration)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 15:53
S109	5	(shar$4 near5 (file document)) AND ((creat$4 generat$4) near5 new near2 (entry record) same (fail$4 negative un$2success$6 first find found)) AND (e$2mail$4 with (key registration)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 15:53

S110	62	(shar$4 near5 (file document)) AND ((creat$4 generat$4 add$4 insert$4) near5 new near2 (entry record user) same (fail$4 negative un$2success$6 authenticat$4 first find found)) AND (e$2mail$4 with (key registration ID)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 15:57
S111	64	(shar$4 near5 (file document)) AND ((creat$4 generat$4 add$4 insert$4) near5 new near2 (entry record user) same (fail$4 negative un$2success$6 authenticat$4 first find found)) AND (e$2mail$4 with (key registration ID code pass $2code$2 pass$2word$2) with (user client member subcriber Recipient)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 16:00
S112	17	((shar$4 collaborat$4) with (file document project data movie music video) with (user member contributor author host client partner)) AND ((authenticat$6 credential log$2in) with (access$4 view$4 read$4 writ$4 modify$4 chang$4 print$4 download$4 updat$4) with (file document project data movie music video)) AND ((proxy cache duplicat$4 clone) near5 (database file represent$7 document movie music video)) AND ((server center) with (authenticat$4) with (access near3 (client (file near2 (source server))))) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 12:13
S113	5	((shar$4 collaborat$4) with (file document project data movie music video) with (user member contributor author host client partner)) AND ((authenticat$6 credential log$2in) with (access$4 view$4 read$4 writ$4 modify$4 chang$4 print$4 download$4 updat$4) with (file document project data movie music video)) AND ((proxy cache duplicat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:06

		clone) near5 (database file represent$7 document movie music video)) AND ((server center) with (authenticat$4) with (access near3 ((file near2 (source server)))) AND (@ad<"20040421")				
S114	987	(server near5 (read$4 writ$4 updat$4 access$4) near5 (file document data content) with (authenicat$4 authoriz$6) same (file server data source)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:08
S115	103	(server near5 (read$4 writ$4 updat$4 access$4) near5 (file document content) with (authenicat$4 authoriz$6) same (file server data source)) AND (server with (authenticat$4 authoriz$6).ab. AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:10
S116	25	(server near5 (read$4 writ$4 updat$4 access$4) near5 (file document content) with (authenicat$4 authoriz$6) same (file server data source)) AND (server with (authenticat$4 authoriz$6) with file).ab. AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:10
S117	41	(server near5 (read$4 writ$4 updat$4 access$4) near5 (file document content) with (authenicat$4 authoriz$6) same (file server data source)) AND (server with (authenticat$4 authoriz$6) with file).clm. AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:24
S119	41	(server near5 (read$4 writ$4 updat$4 access$4) near5 (file document content) with (authenicat$4 authoriz$6) same (file server data source)) AND (server with (authenticat$4 authoriz$6) with file).clm. AND (server with (authenticat$4 authoriz $6) with file) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:25

S120	34	S119 not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/07 09:25
S121	810	(shar$4 near5 (file document)) AND (retriev$4 near7 (file document) with server) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 11:30
S122	589	(shar$4 near5 (file document)) AND (retriev$4 near7 (file document) with server) AND ((modify$4 updat $4 chang$4 edit$4) with (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 11:31
S123	3	(shar$4 near5 (file document)) AND ((retriev$4 access$4 read$4 open$4 download$4) near7 (file document) with server) AND ((modify$4 updat$4 chang$4 edit$4) with (file document)) AND ((version near2 control $4) with proxy) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 13:29
S124	26	((version near2 control$4) with (proxy server)) AND (shar$4 near5 (file document)) AND ((retriev$4 access$4 read$4 open$4 download$4) near7 (file document) with server) AND ((modify$4 updat$4 chang$4 edit$4) with (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 13:30
S125	28	((version near2 control$4) with (proxy server resository)) AND (shar$4 near5 (file document)) AND ((retriev$4 access$4 read$4 open$4 download$4) near7 (file document) with (server proxy)) AND ((modify$4 updat $4 chang$4 edit$4) with (file document)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04 17:47

S126	45	((version near2 control$4) with (proxy server resository)) AND (shar$4 near5 (file document content project) AND ((retriev$4 access$4 read$4 open$4 download$4) near7 (file document content project) with (server proxy)) AND ((modify$4 updat$4 chang$4 edit$4) with (file document content project)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04 17:47
S127	1	(("clear" near "case") with (source near5 code near4 control$4)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 20:27
S128	50	(shar$4 near5 (file document)) AND (retriev$4 near7 (file document) with server) AND ((file document) near3 (collaborat$4)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/29 10:17
S129	16	(shar$4 near5 (file document)) AND (retriev$4 near7 (file document) with server) AND ((file document) near3 (collaborat$4) with (updat$4 chang$4 edit$4 review$4 comment$4)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/29 10:17
S130	137	(shar$4 near5 (file document)) AND ((file document) near3 (collaborat $4) with (updat$4 chang$4 edit$4 review$4 comment $4)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/29 19:03
S131	11	(shar$4 near5 (file document)) AND ((file document) near3 (collaborat $4) with (updat$4 chang$4 edit$4 review$4 comment $4)) AND ((file document) near3 (collaborat$4) with (updat$4 chang$4 edit$4 review$4 comment$4)).ab. AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/29 19:04

S132	3	((shar$4 collaborat$4) with (file document)).clm. AND (credential authenticat$4) AND ((proxy duplicat$4 cache cop$4) near5 (file document)) AND ((updat$4 modify$4 access$4) with (credential authenticat$4 authoriz$7 password (pass adj word)) with (creator author sender) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 13:36
S133	4	((shar$4 collaborat$4) with (file document)).clm. AND ((proxy duplicat$4 cache cop $4) near5 (file document)) AND ((updat$4 modify$4 access$4) with (credential authenticat$4 authoriz$7 password (pass adj word)) with (creator author sender)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 13:37
S135	65	((shar$4 collaborat$4) with (file document) AND ((proxy duplicat$4 cache cop$4) near5 (file document)) AND ((updat$4 modify$4 access $4) with (credential authenticat$4 authoriz$7 password (pass adj word)) with (creator author sender)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 13:38
S136	44	((shar$4 collaborat$4) with (file document) AND ((proxy duplicat$4 cache cop$4) near5 (file document)) AND ((updat$4 modify$4 access $4) with (file document version original) with (credential authenticat$4 authoriz$7 password (pass adj word)) with (creator author sender)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 13:38

S137	19	((shar$4 collaborat$4) with (file document) same (proxy duplicat$4 cache cop$4) near5 (file document)) AND ((updat$4 modify$4 access $4) with (file document version original) with (credential authenticat$4 authoriz$7 password (pass adj word)) with (creator author sender)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/02 13:42
S138	6	(shar$4 near5 (file document)) AND (retriev$4 near7 (file document) with server) AND ((modify$4 updat $4 chang$4 edit$4) with (file document)) AND ((redential password (pass adj word) passcode (pass adj code) passphrase (pass adj phrase)) with (creator author origin$6 manager leader) with (access$4 read$4 view $4 modify$4 open$4) with (file document project)) AND (@ad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/03 08:11
S139	3	((proxy near3 server) near4 (access$4 connect$4 log$3in) with (((file data$4) adj3 server) database) with (credential username password (user adj name) (pass adj word)) same (updat $4 modify$4 chang$4 modificat$4) with (file document content)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 13:46
S140	13	((updat$4 chang$4 modify$4 modificat$4) near5 (file content document)) AND ((proxy near3 server) near4 (access$4 connect$4 log$3in) with (((file data$4) adj3 server) database) with (credential username password (user adj name) (pass adj word))) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 13:49

S141	31	((updat$4 chang$4 modify$4 modificat$4) near5 (file content document)) AND ((proxy near3 server) with (access$4 connect$4 log$3in communicat44) with (((file data$4) adj3 server) database) with (credential username password (user adj name) (pass adj word))) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 13:52
S142	18	S141 not S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 13:53
S144	71	(((updat$4 chang$4 modify $4 modificat$4) near5 (file content document)) (version adj control$4) (clear$2case $2)) AND ((proxy) with (access$4 connect$4 log$3in communicat$3) with (((file data$4) adj3 server) database) with (credential username password authenticat$4 authoriz$8 (user adj name) (pass adj word))) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 14:10
S145	40	S144 not S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 14:10
S146	108	((version adj2 control$4) clear $2case).ab. AND ((modify$4 updat$4 chang$4 merg$4 collaborat$4 check$3in) near5 (file document content)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 15:20

S147	17	((version adj2 control$4) clear $2case collaborat$4).ab. AND ((modify$4 updat$4 chang$4 merg$4 collaborat$4 check $3in) near5 (file document content) same (credential password username (pass adj word)(user adj name)) same (authenticat$4 authoriz$7 log $3in access$4)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 15:21
S148	4	((version adj2 control$4) clear $2case collaborat$4).ab. AND ((modify$4 updat$4 chang$4 merg$4 collaborat$4 check $3in) near5 (file document content) same (credential password username (pass adj word)(user adj name))) AND (proxy same server same database) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 15:29
S149	111	((server proxy) with (modify $4 updat$4 chang$4 merg$4 collaborat$4 check$3in) with (file document content) with (log$3in access$3 connect$4 communicat$4) with (credential right privilege username password)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 19:22
S150	1	((version near2 control$4) (clearcase) (collaborat$4 near6 (document file project))).ab. AND ((server proxy) with (modify$4 updat $4 chang$4 merg$4 collaborat $4 check$3in) with (file document content) with (log $3in access$3 connect$4 communicat$4) with (credential right privilege username password)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 19:24

S151	14	((server proxy) with (modify $4 updat$4 chang$4 merg$4 collaborat$4 check$3in) with (file document content) with (log$3in access$3 connect$4 communicat$4) with (credential right privilege username password)) AND (((file near2 server) database) with (author owner manager creator)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 19:30
S152	331	((server proxy) with (access $4 log$3in connect$3 communicat$4) with (file document content) same (updat$4 chang$4 modify$4) same (owner author creator oginator sharer sender co? 2ordinator)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/14 12:29
S153	119	((shar$4 collaborat$4 (version near2 control$4)) near5 (document file content)) AND ((server proxy) with (access$4 log$3in connect$3 communicat$4) with (file document content) same (updat$4 chang$4 modify$4) same (owner author creator oginator sharer sender co?2ordinator)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/14 12:31
S154	15	((shar$4 collaborat$4 (version near2 control$4)) near5 (document file content)).ab. AND ((server proxy) with (access$4 log$3in connect$3 communicat$4) with (file document content) same (updat$4 chang$4 modify$4) same (owner author creator oginator sharer sender co?2ordinator)) AND (@ad<"20040421" @rlad<"20040421")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/14 12:31

| S155 | 23 | ((shar$4 collaborat$4 (version near2 control$4)) near5 (document file content)).clm. AND ((server proxy) with (access$4 log$3in connect$3 communicat$4) with (file document content) same (updat$4 chang$4 modify$4) same (owner author creator oginator sharer sender co?2ordinator)) AND (@ad<"20040421" @rlad<"20040421") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/12/14 12:45 |
| S156 | 15 | S155 not S154 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/12/14 12:45 |

EAST Search History (Interference)

<This search history is empty>

**12/14/2010 2:00:51 PM
C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-828-991.wsp**